


FIG. 1



2/8

FIG. 2




FIG. 3

The image shows a rectangular box with a thin black border. Inside, there is HTML code for a Java application. It includes an `<OBJECT>` tag with attributes `id="application.declaration"` and `data="http://WWW.CCC.co.jp/cardgame/jam"`, followed by the text "CARD GAME" and an `</OBJECT>` tag. Below that, it says "SOFTWARE FOR~. CLICK HERE TO TRY." The entire box is set against a white background.

```
<OBJECT declare id="application.declaration"
data="http://WWW.CCC.co.jp/cardgame/jam">
CARD GAME
</OBJECT>
SOFTWARE FOR~. CLICK<A ilet = "application.declaration"> HERE</A> TO TRY.
```

FIG. 4





FIG. 5

ITEM NAME	ESSENTIAL/ OPTION	DATA
AppName	ESSENTIAL	cardgame
PackageURL	ESSENTIAL	http://www.ccc.co.jp/cardgame.jar
AppClass	ESSENTIAL	
LastModified	ESSENTIAL	2001/10/01
AppSize	OPTION	
GetUTN	OPTION	
AccessUserInfo	OPTION	
LaunchApp	OPTION	
GetSysInfo	OPTION	
userNetwork	OPTION	
lletPreserve	OPTION	
•	•	•
•	•	•
•	•	•

FIG. 6






FIG. 8




FIG. 9

